Journal of Immuological Methods, 103 (1987) 289–291
Elsevier

Contents to volume 103 (1987)

Number 1 – 23 October 1987

Research reports

The effect of pH on the aggregation of biotinylated antibodies and on the signal-to-noise observed in immunoassays utilizing biotinylated antibodies (JIM 04456)
J.J. Wadsley and R.M. Watt (U.S.A.) 1

A method for the quantification of a colored or fluorescent signal in enzyme immunoassays by photodensitometry (JIM 04457)
H. Labrousse and S. Avrameas (France) 9

Large scale production and purification of human IL-2 from buffy coat lymphocytes stimulated with 12-*O*-tetradecanoylphorbol 13-acetate and calcium ionophore A23187 (JIM 04459)
W. Grote, J. Klaar, P.F. Mühlradt and D.A. Monner (F.R.G.) 15

Purification and properties of porcine polymorphonuclear cells (JIM 04460)
R.L. Roberts, N. Hatori, J.K. Drury and E.R. Stiehm (U.S.A.) 27

A radioimmunoassay for metoclopramide (JIM 04462)
M. De Villiers, D. Parkin, P. Van Jaarsveld and B. Van der Walt (Republic of South Africa) 33

Radioimmunoassay of 5-hydroxymethyl-2′-deoxyuridine (JIM 04463)
J.A. Vilpo, E. Suvanto, S. Rasi and L.M. Vilpo (Finland) 41

The effect of divalent and univalent binding on antibody titration curves in solid-phase ELISA (JIM 04464)
Q. Vos, E.A. Klasen and J.J. Haaijman (The Netherlands) 47

Radioimmunoassay in microtiter plates. A convenient method for determining bound radiolabelled ligand (JIM 04465)
T. Hirschberg and H. Hirschberg (Norway) 55

Isolation of low-frequency class-switch variants from rat hybrid myelomas (JIM 04466)
G. Hale, S.P. Cobbold, H. Waldmann, G. Easter, P. Matejtschuk and R.R.A. Coombs (U.K.) 59

Monoclonal anti-peroxidase isotype switch variants. Applications in studies of protein A binding and characterization of rat monoclonal antibodies (JIM 04467)
J.H.A. Boot, M.E.J. Geerts and L.A. Aarden (The Netherlands) 69

Conventional isoelectric focusing does not dissociate immune complexes (JIM 04469)
H. Haas and M. Schlaak (F.R.G.) 79

A simple and rapid immunological technique for visualising chromosome-mediated gene transfer (CMGT) (JIM 04470)
S. Pittman, S. Warneford, E. Repka, T. Callaghan, R.A. Zbroja, P.C. Vincent and G.A.R. Young (Australia) 87

A colorimetric liquid culture assay of a growth factor for primitive murine macrophage progenitor cells (JIM 04471)
A.B. Kriegler, T.R. Bradley, G.S. Hodgson and I.K. McNiece (Australia) 93

A limiting dilution assay to determine the frequency of antigen presenting cells (JIM 04472)
J.A. Goodacre, J.M. Simpson, R. Johnstone and J.H. Robinson (U.K.) 103

Characterization of monoclonal anti-DNA antibodies and visualization of binding to chromosomes and cell nuclei (JIM 04473)
M. Malmqvist, J. Carlsson, B.-A. Fredriksson, L. Johansson, P. Matsson, B. Nilsson and K. Ruuth (Sweden) 109

A rapid and efficient method for testing immunohistochemical reactivity of monoclonal antibodies against multiple tissue samples simultaneously (JIM 04475)
W.-H. Wan, M.B. Fortuna and P. Furmanski (U.S.A.) 121

Antibodies against synthetic carboxy-terminal peptides distinguish H-*ras* and K-*ras* oncogene products p21 (JIM 04477)
H. Ishihara, H. Nakagawa, K. Ono and A. Fukuda (Japan) 131

Letters to the editors

Is that what you mean? (JIM 04547)
N. Mermelstein (Australia) 141

Decreasing the spontaneous release in NK cell assays (JIM 04549)
R.N. Georgescu and S.E. Keller (U.S.A.) 143

Toxicity of light-exposed Hepes media (JIM 04551)
J.L. Lepe-Zuniga, J.S. Zigler, Jr. and I. Gery (U.S.A.) 145

0022-1759/86/$03.50 © 1986 Elsevier Science Publishers B.V. (Biomedical Division)

Reaction to the article: ELISA for measurement of secretory IgA distinct from monomeric IgA (JIM 04561)
D. Kvale and P. Brandtzaeg (Norway) 147
Reply to the letter of D. Kvale and P. Brandtzaeg (JIM 04573)
G.M. Wood, L.K. Trejdosiewicz and M.S. Losowsky (U.K.) 149
Overnight storage at 1°C does not affect NK cytotoxicity (JIM 04562)
R.N. Georgescu and S.E. Keller (U.S.A.) 151
The efficient production of monoclonal antibodies to the epidermal growth factor receptor (JIM 04572)
I. King and A.C. Sartorelli (U.S.A.) 153

Book review 155

Corrigendum
A substrate amplification system for enzyme-linked immunoassays. Demonstration of its general applicability to ELISA systems for detecting antibodies and immune complexes (JIM 04574)
R.I. Carr, M. Mansour, D. Sadi, H. James and J.V. Jones (Canada) 157

Announcements 158

Notes to authors 160

Number 2 – 5 November 1987

Research reports
Improved procedure for the isolation of functionally active lymphoid cells from the murine intestine (JIM 04480)
P.J. Van der Heijden and W. Stok (The Netherlands) 161
A new approach to monoclonal antibody production. In vitro immunization with antigens on nitrocellulose using *Drosophila* myosin heavy chain as an example (JIM 04481)
D. Gratecos, M. Astier and M. Sémériva (France) 169
Measurement of the α_2 component of a novel oncodevelopmental antigen by a rapid electroimmunoassay (JIM 04483)
M. Nakai, M. Atsumi, J. Odagiri and M. Arai (Japan) 179
An improved method for elimination of mycoplasmas from cell cultures (JIM 04484)
H. Kreipe, H.J. Radzun, A. Keulers and M.R. Parwaresch (F.R.G.) 185
Statistical considerations in the quantitation of serum immunoglobulin levels using the enzyme-linked immunosorbent assay (ELISA) (JIM 04485)
K.F. Karpinski, S. Hayward and H. Tryphonas (Canada) 189
A multi-step isolation scheme for obtaining $CD16^+$ human natural killer cells (JIM 04487)
L.M. Cosentino and M.K. Cathcart (U.S.A.) 195
The simultaneous direct detection of *Mycoplasma pneumoniae* and *Legionella pneumophila* antigens in sputum specimens by a monoclonal antibody immunoblot assay (JIM 04488)
R.D. Madsen, F.A. Saeed and S.R. Coates (U.S.A.) 205
The production of recombinant HLA-DR β and invariant chain polypeptides by cDNA expression in *E. coli* (JIM 04490)
S. Koch, A. Schultz and N. Koch (F.R.G.) 211
Determination of lysozyme activity by fluorescence polarization in rheumatoid synovial fluids and release of lysozyme from polymorphonuclear leukocytes by chemotactic factors (JIM 04492)
T. Okamoto, K. Ueda, H. Maeda and T. Kambara (Japan) 221
Methods for the selection and growth of antigen-specific cytolytic T lines and clones bearing a defined T cell receptor β chain marker (JIM 04493)
M. Ito, G.G. Fredrickson, F. Celada, J.L. Schulman, C.A. Bona and T.M. Moran (U.S.A.) 229
Composition of IgA immune complexes precipitated with polyethylene glycol. A model for isolation and analysis of immune complexes (JIM 04494)
H. Imai, A. Chen, R.J. Wyatt and A. Rifai (U.S.A.) 239
Use of protein-stained immunoblots for unequivocal identification of antibody specificities (JIM 04495)
W.-J. Syu and L. Kahan (U.S.A.) 247
Evaluation and improvement of a rapid microassay for measuring superoxide anion production by phagocytes. 1. Spectrophotometric aspects (JIM 04496)
R.G.Q. Leslie (U.K.) 253
Evaluation and improvements of a rapid microassay for measuring superoxide anion production by phagocytes. 2. Biochemical aspects (JIM 04497)
R.G.Q. Leslie and R. Allen (U.K.) 261

291

Skin window chambers, a novel method for recovering the cells involved in delayed-type hypersensitivity (JIM 04499)
M.J. MacPhee, H. Rode, M. Broadhead, N.V. Christou, J.L. Meakins and J. Gordon (Canada) 267

Ultrasensitive immunoradiometric assay for chorionic gonadotropin which does not cross-react with luteinizing hormone nor free β chain of hCG and which detects hCG in blood of non-pregnant humans (JIM 04502)
J. Griffin and W.D. Odell (U.S.A.) 275

Book reviews 285

Contents to volume 103 (1987) 289

Author index to volume 103 (1987) 292

Key word index to volume 103 (1987) 295

Notes to authors 300